TECHNICAL MANUAL METRIC Universal Transition













Committed to sustainable development, Philmac is well renowned for quality products and services. Philmac manufactures pipe fittings and valves under a Quality Assurance System assessed and approved to ISO 9001-2000 and has obtained the prestigious environmental management certification ISO 14000. Philmac has a NATA accredited laboratory and tests fittings and valves to international and national standards. Third party accreditation is carried out by SAI Global.

CONTENTS

Introduction	2
Benefits	2
Standards	3
Installation Instructions 4	
System Design Considerations	5
Product Specification	6
Parts and Materials	6
Materials & Components	7
Principals of Operation	7
Range Dimensions & Weights	8



Metric version published May 2008 Reference Number:TMUTCM001-0508

Disclaimer

Please note that the information, opinions, recommendations and advice given in this manual are supplied only to provide an improved understanding of the technical aspects of fitting systems.

So far as the law allows, Philmac Pty Ltd will not accept liability in respect of any loss or damage of any kind claimed to arise as a result of reliance upon any information claimed in this manual.

Please refer to our Terms and Conditions of sale.

INTRODUCTION

Philmac, the global leader in the design and manufacture of plastic compression fittings, has developed a unique range of mechanical compression fittings that provide the ultimate in pipe connection flexibility.

Without modification the same fitting connects to a variety of materials including PVC, copper, galvanized iron, ABS, lead, stainless steel, steel, polyethylene and PEX.

Each size fitting covers a range of pipe diameters providing a 'Universal' solution. Providing a seal on out-of-round and pitted pipes is another aspect of the 'Universal' solution.

Since winning an Australian Design Award in 1999 for innovation in product development, the UTC® has been embraced by water utilities right around the world, including the UK, Europe, Middle East, North America and Australia.

BENEFITS

Universal Design: Through its wide tolerance, the Philmac UTC® is designed to accommodate a range of different diameters on most pipe material (including PVC, copper, galvanized iron, ABS, lead, stainless steel, steel, polyethylene and PEX).

Large Seal: The large seal in Philmac UTC[®] is particularly suited to Out-of-Round and Pitted pipes

Slide & Tighten™ technology: The Philmac UTC® incorporates all the benefits of Philmac's Slide & Tighten™ technology.

Simply witness mark the pipe against the flange on the fitting, and then insert the pipe to the correct depth. The nut can then be tightened using a wrench. The UTC® is fully installed when the nut can no longer be tightened with reasonable force.

No special tools are required and the Philmac UTC® is supplied ready to use.

Easy Disassembly: The design of the UTC® means that once the nut is backed off, the pipe can easily be removed from the fitting

Dynamic Sealing Method: The mechanical advantage of the nut thread compresses the seal into position, eliminating resistance when inserting the pipe into the fitting, so there is no risk of seal distortion or displacement.

* Pipes at the top end of the fitting tolerance may incur minimum resistance.

No Loose Components: The Philmac UTC® is fully integrated with no loose components. There is no need for individual assembly of a split ring, sealing ring or nut. All that is required is the insertion of the pipe and tightening of the nut.

Approvals: The Philmac UTC® holds a number of potable water approvals – WRAS (UK) for above and below ground use; WSAA and WaterMark (Australia); ACS (France); DTC (Denmark), CSA (Canada) and NSF (USA). The fittings are also manufactured to the highest standards in accordance with the company's ISO 9001:2000 Quality Endorsed status.

Dielectric (insulating) fitting

UTC[®] fittings are insulating and are a "Dielectric" fitting for use between dis-similar metals.


Made from advanced thermoplastic materials: The Philmac UTC® is manufactured from lightweight high performance thermoplastic materials with outstanding impact, UV, chemical and corrosion resistance. The UTC® end contains hard stainless steel grippers which provide superior end load resistance.

Rated to 12.5 Bar (180psi): The Philmac UTC® is pressure rated to 12.5 bar (180psi) at 23 °C (73 °F) to meet the needs of high pressure systems.

50 year + design life: Built to withstand the toughest conditions to ensure longevity and durability, Philmac UTC® has a 50 year+ design life at 23 °C (73 °F).


The Philmac UTC® range is comprehensive: Straight and reducing joiners, elbows, tees and male adaptors, in both transition (PE to UTC®) and double ended versions (UTC® to UTC®) ranging from 15mm to 61mm

FAMILY OF FITTINGS - A COMPREHENSIVE RANGE



Connects PE to a wide variety of pipes

PVC, copper, galvanised iron, ABS, lead, stainless steel, steel, polyethylene and PEX



Connects a wide variety of pipes

PVC, copper, galvanised iron, ABS, lead, stainless steel, steel, polyethylene and PEX

APPLICATIONS

Repair work UTC® is used extensively by water companies, plumbers and civil contractors for repair work. The UTC® x UTC®

fitting was originally developed as a copper to copper repair joint at the request of a global water company.

New installations Connecting polyethylene pipe to water meter risers and polyethylene pipe to copper.

UTC® fittings are used by water companies as a connection between polyethylene pipe and metal pipes.

 $\label{eq:UTC} \textbf{UTC}^{\texttt{@}} \text{ is particularly useful in service line upgrades. A small number of PE} \times \text{UTC}^{\texttt{@}} \text{ fitting provide a complete}$

solution and will connect to whatever pipe the installer finds at the property boundary.

A UTC® xThreaded Tee provides a solution when tieing an irrigation system into an existing water service line.

COMPLETE RANGE





STANDARDS

Philmac UTC® range of compression fittings hold certificates for the following standards:

AS/NZS 4020 Products for use in contact with water intended for human consumption with regards to their effect on the quality of water.

Watermark (Australia)

BS6920 Fitting materials approved for use in potable water applications.

ASC (France) Fitting materials approved for use in potable water applications.

DVGW (Germany)

WRAS (United Kingdom)

SVGW (Switzerland)

KIWA (Netherland)

Threads

ISO 7.1 Pipe threads where pressure joints are made on the threads. Part I Dimensions, tolerances and designations.

ATS 5200.458 Australian Technical Specification for Plumbing and Drainage Products, Part 458, Universal Transition Fitting.

AS/NZS 4129 Fittings for use with polypropylene (PE) pipes for pressure applications. (UTCxPoly only)

UTC fittings exceed the requirements of the following international standards:

ISO 14236:2000 Plastic pipes and fittings -- Mechanical - joint compression fittings for use with polyethelene (PE) pressure pipes in water supply systems.

ISO 3458:1976 Assembled joints between fittings and polyethelene (PE) pressure pipes -- Test of leak-proofness under internal pressure.

ISO 3459:1976 Polyethelene (PE) pressure pipes - Joints assembled with mechanical fittings - Internal under-pressure test method and requirements.

ISO 3501:1976 Assembled joints between fittings and polyethelene (PE) pressure pipes -- Test of resistance to pull out.

ISO 3503:1976 Assembled joints between fittings and polyethelene (PE) pressure pipes -- Test of leak-proofness under internal pressure when subjected to bending.

SYSTEM DESIGN CONSIDERATIONS

Philmac UTC® is a range of mechanical fittings that offers three distinct advantages over thermofusion fittings;

- The ability to transition from PE to any recommended pipe material
- The ability to connect multiple types of pipes together
- · Quick and easy installation and disassembly

This section highlights engineering considerations when designing a pipe system with Philmac UTC®.

Projected life of Compression Fittings

Whilst the Philmac UTC® conforms to institutionalized specifications written to have a minimum life of 50 years, its compression fittings are intentionally developed to exceed the expectations of these specifications.

Head losses

The following table offers a guide in estimating head losses in PE pipe systems based on the conveyance of water.
Use the following formula to estimate this head loss;

 $L = F \times D$

where F = fitting constant

D = pipe inner diameter (m)

L = head loss based on equivalent pipe length (m)

Fitting	Fitting Constant (F)
90° elbow	30
90° tee - straight through	12
90° tee - side branch	60

Abrasion Resistance

Philmac UTC® is suitable for the transportation of abrasive slurries and will withstand normal conditions found in urban, mining, industrial, rural water and waste water systems.

Weathering

The materials used contain pigments to provide excellent protection against degradation from ultra-violet radiation. However, long term continuous use above ground does require fittings to be protected from direct sunlight.

Electrolytic Corrosion

The plastic body provides an effective means of isolation against electrolytic action when connecting two metal pipes. The stainless steel (grade 304) gripper teeth provide long term resistance to corrosion.

Thermal Insulation.

Polypropylene has natural thermal insulation of 2000 times over copper and 200 times over steel.

Light Transmission

The all black Philmac UTC® does not transmit light, thus protecting the water quality in potable water pipelines from growth of micro organisms.

Effect on Water.

Philmac UTC® does not impart to the water any odour, taste, colour, or any constituents that could be injurious to health.

Fluids other than Water

Philmac UTC® may convey a wide variety of fluids. The following table is provided as a guide only for the compatibility of various chemicals to Philmac UTC®. Contact Philmac Technical Services for specific application.

Temperature

Philmac UTC Compression fittings are designed for cold water applications only. Exposure to elevated temperatures has a significant impact on the lifetime of the fittings. All projected lifetimes are based on an operating temperature of 23 degrees Celsius.


CHEMICAL RESISTANCE

Chemical		Not
Ammonium Hydroxide	A	
Alcohol	A	
Acetone		A
Auto Transmission Fluid	A	
Antifreeze	A	
Benzene		A
Butane	A	
Calcium Salts	A	
Caustic Soda (40% aqueous)	A	
Cresol		A
Citric Acid (10% aqueous)	A	
Copper Salts	A	
Ethylene Alcohol	A	
Ethyl Glycol	A	
Diesel	A	
Formic Acid		A
Gasoline		A
Hydrochloric Acid		A
Kerosene		A
Mineral Oils	A	
Methane	A	
Methylene Chloride		A
Nitric Acid		A
Petroleum Oils	A	
Sewerage	A	
Sodium Cyanide	A	
Sulphuric Acid		A
Toluene		A
Turpentine		A
Transformer Oil	A	
Zinc Salt Solution	A	
Note: Fluid Temperature = 2	0°c	

PRINCIPALS OF OPERATION - COMPRESSION


FULLY OPEN – 3G™ PE END

FULLY OPEN - UTC®



FULLY CLOSED – 3G™ PE END

FULLY CLOSED - UTC® END



INSTALLATION INSTRUCTIONS - UTC®

(Joins PE, copper, stainless steel, ABS, galvanized iron, lead, steel or PVC pipes)



I. Cut pipe to length

Cut pipe square and to length using the flange on the central body as a guide. Ensure end of connecting pipe is undamaged and clean.



2. Ready to use position.

The fitting is pre-assembled and ready to use, however always ensure the nut is backed off and 3 threads are showing. Pipes at the top end of the fitting tolerance may require 5 threads showing.



3. Pipe insertion

To ensure adequate insertion depth, witness mark the pipe to the back of the flange. If conditions permit a marker pen can be used or alternatively use of a thumb is suitable. Then insert pipe to the correct depth.



4. Nut tightening

Tighten nut firmly with a wrench. Nut will not butt against the body flange when the pipe size is at the top end of the fitting tolerance.



5. Fully Installed

The fitting is fully installed when the nut cannot be tightened any further with reasonable force.



6. Disassembly

Unscrew the nut with a wrench. Pipe will be released and can be pulled out of the fitting.

- Use a pipe measuring gauge if there are doubts on pipe outside diameter (OD) size.
- Installation instructions are also applicable for the PE end.

UTC® SIZING CHART

The following chart provides a convenient means of identifying the appropriate UTC® fitting. For pipes and tubes not included in this chart, simply match the pipe's outside diameter to the appropriate UTC® body size

Guide only. Actual size is dependant on the pipe condition

	15-21 Size A	21-27 Size B	27-34 Size C	34-39 Size D	39-43 Size E	47-49 Size F	59-61 Size G
Alkathene	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
Normal Guage IRS 134							
Heavy Guage IRS 135		1/2"	3/4"	1"			
Copper - Metric		22mm		35mm	42mm		
Galvanised Iron	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
Stainless Steel							
Metric ABS/PVC	16 & 20mm	25mm	32mm		40mm		
Imperial ABS/PVC							
Lead	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	
	5lb (20mm)	6lb (21.6mm)	9lb (30.6mm)	7lb (37.6mm)	16lb (41mm)	12lb (48mm)	
		7lb (23.2mm)	11lb (32.8mm)				
		9lb (25.4mm)					
	1/2"						
	2lb (16mm)	4lb (25.2mm)	6lb (31mm)		9lb (39.2mm)		
	4lb (19.2mm)	5lb (26.4mm)	7lb (31.6mm)				

Fitting selection can be made easier with the use of the Philmac Pipe Guage

Copper

If user does not want to use a UTC® the copper needs to be M.l. or F.l. ended so that we can offer a Metric/Imperial fitting to suit.

Same rule applies for 54mm O.D. copper. Use copper compression fitting to adapt to M.l. or F.l. anm then use a Metric/Imperial fitting.

Lead


The general condition of lead pipe can make sizing difficult at top and bottom tolerance. If the recommended UTC® is not successful the next size up or down depending on the fit should be offered.

UTC® is a cold water rated fitting. It is rated at 50+ years design life at I200kPa and 20 °C. Please consult Philmac for derating factors in excess of 20 °C




JOINER (UTC® × Poly) for METRIC PIPE

		Dimensions (mm)		mm)	Weight
Size (OD)	Ref No	Α	В	С	(kg)
15 – 21 mm UTC x 20 mm POLY	99203200	114	54	47	0.105
15 – 21 mm UTC x 25 mm POLY		118	54	55	0.124
21 -27 mm UTC x 20 mm POLY		132	66	47	0.149
21 – 27 mm UTC x 25 mm POLY		130	66	55	0.154
27 – 34 mm UTC x 20 mm POLY		148	80	47	0.191
27 – 34 mm UTC x 25 mm POLY		149	80	55	0.239
27 – 34 mm UTC x 32 mm POLY		150	80	67	0.277
27 – 34 mm UTC x 40 mm POLY		172	80	81	0.306
34 – 39 mm UTC x 32 mm POLY		153	80	67	0.326
34 – 39 mm UTC x 40 mm POLY		172	80	81	0.349
39 - 43 mm UTC x 32 mm POLY		168	96	67	0.387
39 - 43 mm UTC x 40 mm POLY		181	96	81	0.416
47 - 49 mm UTC x 50 mm POLY		199	96	94	0.666
47 - 49 mm UTC x 63 mm POLY		200	96	110	0.807
59 – 61 mm UTC x 63 mm POLY		227	113	110	0.930




ELBOW 90° (UTC $^{\otimes}$ x Poly) for METRIC PIPE

		Dimensions (mm)				Weight
Size (OD)	Ref No					(kg)
15 – 21 mm UTC x 25 mm	99253310	112	54	55	98	0.137
21 – 27 mm UTC x 25 mm	99254310	119	66	55	106	0.172
21 – 27 mm UTC x 32 mm	44254410	132	66	67	117	0.232
27 – 34 mm UTC x 25 mm	99255310	132	80	55	118	0.239
27 – 34 mm UTC x 32 mm	99265310	142	80	67	126	0.288




TEE (Poly \times Poly \times UTC $^{\circledast}$) for METRIC PIPE

		Dimensions (mm)				Weight
Size (OD)	Ref No	Α	В	C	D	(kg)
25 mm (¾") POLY x 25 mm (¾") POLY		142	54	55	112	0.196
40 mm (1¼") POLY x 40 mm (1¼") POLY		175	54	81	132	0.446




END CONNECTOR (UTC® × MI BSP)

		Dimensions (mm)		Weight
Size (OD)	Ref No	Α	В	(kg)
15 – 21 mm UTC x ¾" MI BSP	97123200	100	54	0.080
15 – 21 mm UTC x 1" MI BSP	97123300	103	54	0.080
21 – 27 mm UTC x ¾" MI BSP	97124200	110	66	0.126
21 – 27 mm UTC x 1" MI BSP	97124300	113	66	0.130
27 – 34 mm UTC x ¾" MI BSP	97125200	122	80	0.206
27 – 34 mm UTC x ¾" MI BSP	97125300	125	80	0.208




JOINER (UTC $^{\text{®}} \times \text{UTC}^{\text{®}}$)

		Dimensions (mm)		Weight
Size (OD)	Ref No	Α	В	(kg)
15 – 21 mm UTC x 15 – 21 mm UTC	97113310	136	54	0.130
21 – 27 mm UTC x 21 – 27 mm UTC	97114410	156	66	0.216
27 – 34 mm UTC x 27 – 34 mm UTC	97115510	175	80	0.352
34 – 39 mm UTC x 34 – 39 mm UTC	97117710	180	80	0.460
39 – 43 mm UTC x 39 – 43 mm UTC	97116610	193	96	0.552
47 – 49 mm UTC x 47 – 49 mm UTC	97118810	229	96	0.828
59 – 61 mm UTC x 59 – 61 mm UTC	97119910	262	113	1.087




REDUCING JOINER (UTC $^{\circ}$ × UTC $^{\circ}$)

		Dimensions (mm)			Weight
Size (OD)	Ref No	Α	В	C	(kg)
21 – 27 mm UTC x 15 – 21 mm UTC		145	66	54	0.175
27 – 34 mm UTC x 15 – 21 mm UTC		163	80	54	0.245
27 – 34 mm UTC x 21 – 27 mm UTC		166	80	66	0.289
34 – 39 mm UTC x 27 – 34 mm UTC	97115010	175	80	80	0.450
39 – 43 mm UTC x 27 – 34 mm UTC		185	96	80	0.460
47 – 49 mm UTC x 39 – 43 mm UTC	97116010	220	96	96	0.767




ELBOW 90° (UTC® × UTC®)

		Dimensions (mm)		Weight
Size (OD)	Ref No	Α	В	(kg)
15 – 21 mm UTC x 15 – 21 mm UTC		112	54	0.144
21 – 27 mm UTC x 21 – 27 mm UTC		132	66	0.239




TEE (UTC $^{\circ}$ × UTC $^{\circ}$ × UTC $^{\circ}$)

		Dim	Dimensions (mm)		
Size (OD)	Ref No	Α	В	C	(kg)
15 – 21 mm UTC (3 way)		170	54	112	0.210




TEE (UTC® × UTC® × FI BSP)

			ensions (r	Weight	
Size (OD)	Ref No	Α	В	C	(kg)
15 – 21 mm UTC x 15 – 21 mm UTC x		170	54	68	0.160
15 – 21 mm UTC x 15 – 21 mm UTC x		170	54	71	0.161
21 – 27 mm UTC x 21 – 27 mm UTC x		198	66	77	0.256
21 – 27 mm UTC x 21 – 27 mm UTC x		198	66	80	0.258



PIPE GAUGE (Assists with Pipe Sizing for UTC®)

15 – 34 mm OD	97113500	95	50	0.02
Size (OD)	Ref No	Α	В	(kg)
		Dimensions (mm)		Weight



PRODUCT SPECIFICATION – FITTINGS FOR PE TO TRANSITION PIPE

CONNECTION

Manufacturer Accreditation

Only fittings manufactured with a Quality System approved to ISO9001 or equivalent shall be accepted for use.

Product Performance Accreditation

Fittings for transitioning between a range of pipes including (PE) copper, galvanized iron, stainless steel, ABS, Lead and PVC shall be rated to 12.5 bar (180psi) at 23 °C (73 °F).

Threaded ends of fittings shall be tapered and conform to ISO 7.1 (specification for pipe threads for tubes and fittings where pressure tight joints are made on threads).

Product Body Material Accreditation

Fittings for Polyethylene (PE) pipes shall have a body made from materials tested in accordance with ISO 9080 (Plastic piping and ducting systems – determination of the long term hydrostatic strength of thermoplastic materials in pipe form by extrapolation).

Performance verification shall be according to test parameters outlined in Clause 8.3.2.2 of ISO 14236 – Verification of long term behaviour.

Fittings shall be suitable for the conveyance of drinking water and shall conform to BS6920 (suitability of non metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of water).

Product Configuration / Material Overview

Fittings shall be of the compression fitting type.

Fitting bodies shall be of polypropylene material, nuts shall be of polypropylene or acetal material. Each fitting shall be supplied pre-assembled. Split rings shall be of acetal material with stainless steel grippers and the seal rings to be made of nitrile rubber.

Fitting colour shall be black so as to minimise potential light transmission and/ or UV degradation.

Method of Connection

The seal of a joint will be achieved by nut tightening so as to obtain watertightness by a seal ring around the external diameter of the pipe.

Any pipe preparation will be limited to cutting and cleaning of pipe (for foreign material or burrs). Fittings shall not require the pipe to be lubricated or chamfered during installation.

There shall be no loose components during assembly or disassembly (meaning that the fitting shall not be required to be dismantled during assembly or disassembly).

Please contact your distributor for a specification package.

MATERIAL & COMPONENTS

NUT - Acetal

NUT - Polypropylene
(34-39, 47-49 & 59-61 - Acetal)

SPACER - Polypropylene

SPLIT COLLET - Acetal with stainless steel grippers

SEAL - Nitrile Rubber

LUBRICANT - Silicone Oil

Philmac Sales

AUSTRALIA

53-59 Deeds Road North Plympton South Australia AUSTRALIA 5037

Telephone 1800 755 899 (within Australia) Facsimile 1800 244 688 (within Australia)

Email sales@philmac.com.au Web www.philmac.com.au

NEW ZEALAND, ASIA PACIFIC, SE ASIA, JAPAN, SOUTH AMERICA & OTHER AREAS

53-59 Deeds Road North Plympton South Australia AUSTRALIA 5037

Telephone +61 8 8300 9217

Facsimile +61 8 8300 9390

Email export@philmac.com.au Web www.philmac.com.au

Philmac UK is a trade name of Glynwed Pipe Systems Ltd. Company number 1698059.

Registered Office: Walsall Road Norton Canes Cannock Staffodshire WSTT 9NS UNITED KINGDOM

UNITED KINGDOM, IRELAND, EUROPE, MIDDLE EAST & AFRICA

Diplocks Way Hailsham East Sussex

UNITED KINGDOM BN27 3JF

Telephone +44 1323 847 323
Facsimile +44 1323 844 775
Email sales@philmac.co.uk
Web www.philmac.co.uk

NORTH & CENTRAL AMERICA

PO Box 290995 Phelan California USA 92329

Cell +1 (760) 217 4075
Facsimile +1 (760) 868 0470
Email export@philmacinc.com
Web www.philmacinc.com

www.philmac.com.au an OAliaxis company